

# Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

#### Name of Product/Version:

Deque Status

## **Report Date:**

February 11, 2025

## **Product Description:**

The Deque Status website provides uptime status information for each of Deque's shared software products and digital services.

#### **Contact Information:**

Deque Systems info@deque.com

#### Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed in January 2025.

<sup>&</sup>quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

#### **Evaluation Methods Used:**

A combination of automated and manual testing techniques was employed for the accessibility assessment

- Manual assessment was performed using Chrome v. 133.0.6943.60 on Windows 11 and included exclusive use of the keyboard.
- Automated tools used included axe Auditor and the axe DevTools browser extension using axe-core version 4.10.0.
- Assistive technologies employed included NVDA v.2024.4.

## **Scope of Evaluation**

The following pages were evaluated as part of the assessment on which this report is based:

- History Incidents
- History Uptime
- Incident Report
- Status
- Deque Status Email Updates
- Deque Status Slack Updates

In addition to the pages listed above, the following component that appear on multiple pages was tested as part of the assessment:

Header

## **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.2	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

## WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.2 Conformance Requirements</u>.

#### Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria  • 9.1.1.1 (Web)  • 10.1.1.1 (Non-web document)  • 11.1.1.1.1 (Open Functionality Software)  • 11.8.2 (Closed Functionality Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: Most non-text content has text alternatives or a text alternate that serves an equivalent purpose. The following exceptions exist:         <ul> <li>An image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to access the information available in the image and if it is an active image, will not understand its function. This occurs on the following pages: Status and Deque Status Email Updates.</li> <li>An active image has a text alternative that does not convey the same purpose as the image. People who are blind and/or use a screen reader will be given different information than sighted users. This occurs on the Header component present on all pages.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Web: Supports (Not	Web: Prerecorded audio-only and/or video only files
Also applies to:	Applicable)	are not present.
EN 301 549 Criteria		
• 9.1.2.1 (Web)		
<ul> <li>10.1.2.1 (Non-web document)</li> </ul>		
<ul> <li>11.1.2.1.1 (Open Functionality Software)</li> </ul>		
• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)		
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul><li>501 (Web)(Software)</li></ul>		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
<ul> <li>602.3 (Support Docs)</li> </ul>		
1.2.2 Captions (Prerecorded) (Level A)	Web: Supports (Not	Web: Prerecorded videos are not present.
Also applies to:	Applicable)	
EN 301 549 Criteria		
• 9.1.2.2 (Web)		
<ul> <li>10.1.2.2 (Non-web document)</li> </ul>		
<ul> <li>11.1.2.2 (Open Functionality Software)</li> </ul>		
• 11.1.2.2 (Closed Software)		
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul><li>501 (Web)(Software)</li></ul>		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
<ul> <li>602.3 (Support Docs)</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)  Also applies to: EN 301 549 Criteria  9.1.2.3 (Web)  10.1.2.3 (Non-web document)  11.1.2.3.1 (Open Functionality Software)  11.1.2.3.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)	Web: Supports (Not Applicable)	Web: Prerecorded videos are not present, so audio description is not required.
<ul> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> 1.3.1 Info and Relationships (Level A) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.1.3.1 (Web)</li> <li>10.1.3.1 (Non-web document)</li> <li>11.1.3.1.1 (Open Functionality Software)</li> <li>11.1.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<ul> <li>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist:         <ul> <li>Text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following pages: History - Incidents; Status; and Incident Report.</li> <li>An element's programmatic role requires one or more child element(s) but the child element(s) is/are missing, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose or content of the element or its related content. This occurs on the following pages: History – Uptime; History – Incidents, and on the Header component present on all pages.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		An element's programmatic role requires that the element have a parent element, but the parent element is missing, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose or content of the element without the context provided by the parent. This occurs on the following pages: History – Uptime and History - Incidents.
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria  • 9.1.3.2 (Web)  • 10.1.3.2 (Non-web document)  • 11.1.3.2.1 (Open Functionality Software)  • 11.8.2 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: The reading and navigation order of most content is logical and intuitive. The following exception exists:         <ul> <li>Some visually hidden content is announced by a screen reader, so people who are blind and/or use a screen reader may be misled or confused when hearing content that is not intended to be part of the reading order on the page. This occurs on the following page: History – Incidents.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria  9.1.3.3 (Web)  10.1.3.3 (Non-web document)  11.1.3.3 (Open Functionality Software)  11.1.3.3 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.
<ul> <li>602.3 (Support Docs)</li> <li>1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria <ul> <li>9.1.4.1 (Web)</li> <li>10.1.4.1 (Non-web document)</li> <li>11.1.4.1 (Open Functionality Software)</li> <li>11.1.4.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> </li> </ul>	Web: Partially Supports	<ul> <li>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exceptions exist: <ul> <li>Color is used as the only method to convey information, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following page: History - Incidents.</li> <li>Color is the only visual method used to identify a link, and a link text's contrast ratio with the color of the surrounding text is less than 3:1, so people who are colorblind or have low vision may not be able to identify the link. This occurs on the Header component present on all pages.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
1.4.2 Audio Control (Level A)	Web: Supports (Not	Web: The Deque Status site does not contain audio
Also applies to:	Applicable)	content that plays automatically for more than 3
EN 301 549 Criteria		seconds.
• 9.1.4.2 (Web)		
<ul> <li>10.1.4.2 (Non-web document)</li> </ul>		
<ul> <li>11.1.4.2 (Open Functionality Software)</li> </ul>		
• 11.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.1 Keyboard (Level A)	Web: Partially Supports	Web: On most pages, all functionality is available using
Also applies to:		only the keyboard (unless that functionality cannot be
EN 301 549 Criteria		accomplished in any known way using a keyboard.
• 9.2.1.1 (Web)		The following exception exists:
• 10.2.1.1 (Non-web document)		A function cannot be performed using only the
• 11.2.1.1.1 (Open Functionality Software)		keyboard, so people who use the keyboard
• 11.2.1.1.2 (Closed Software)		alone to navigate and operate content cannot
• 11.8.2 (Authoring Tool)		use this function. This occurs on the following
• 12.1.2 (Product Docs)		page: History - Incidents Page.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A)	Web: Supports	Web: Keyboard focus is never locked or trapped in a
Also applies to:		particular area, and the user is able to navigate to and
EN 301 549 Criteria		from all navigable elements using only a keyboard.
• 9.2.1.2 (Web)		
<ul> <li>10.2.1.2 (Non-web document)</li> </ul>		
<ul> <li>11.2.1.2 (Open Functionality Software)</li> </ul>		
• 11.2.1.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)	Web: Supports (Not	Web: The Deque Status site does not have any
Also applies to:	Applicable)	character keyboard shortcuts that use only letter
EN 301 549 Criteria		(including upper- and lower-case letters), punctuation,
• 9.2.1.4 (Web)		number, or symbol characters.
<ul> <li>10.2.1.4 (Non-web document)</li> </ul>		
<ul> <li>11.2.1.4.1 (Open Functionality Software)</li> </ul>		
• 11.2.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
2.2.1 Timing Adjustable (Level A)	Web: Supports	Web: If a time limit exists, the user is given options to
Also applies to:		turn off, adjust, or extend that time limit.
EN 301 549 Criteria		
• 9.2.2.1 (Web)		
<ul> <li>10.2.2.1 (Non-web document)</li> </ul>		
<ul> <li>11.2.2.1 (Open Functionality Software)</li> </ul>		
<ul> <li>11.2.2.1 (Closed Software)</li> </ul>		
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		
<ul><li>12.1.2 (Product Docs)</li></ul>		
<ul><li>12.2.4 (Support Docs)</li></ul>		
Revised Section 508		
<ul> <li>501 (Web)(Software)</li> </ul>		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
<ul> <li>602.3 (Support Docs)</li> </ul>		
2.2.2 Pause, Stop, Hide (Level A)	Web: Supports (Not	Web: The Deque Status site does not contain content
Also applies to:	Applicable)	that moves, blinks, scrolls, or in which information is
EN 301 549 Criteria		updated automatically.
• 9.2.2.2 (Web)		
<ul> <li>10.2.2.2 (Non-web document)</li> </ul>		
<ul> <li>11.2.2.2 (Open Functionality Software)</li> </ul>		
<ul><li>11.2.2.2 (Closed Software)</li></ul>		
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		
<ul><li>12.1.2 (Product Docs)</li></ul>		
<ul> <li>12.2.4 (Support Docs)</li> </ul>		
Revised Section 508		
<ul> <li>501 (Web)(Software)</li> </ul>		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
<ul> <li>602.3 (Support Docs)</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
2.3.1 Three Flashes or Below Threshold (Level A)	Web: Supports (Not	Web: The Deque Status site does not contain flashing
Also applies to:	Applicable)	content.
EN 301 549 Criteria		
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)		
• 11.2.3.1 (Open Functionality Software)		
• 11.2.3.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)	Web: Supports	Web: A method is provided to skip navigation and
Also applies to:		other page elements that are repeated across web
EN 301 549 Criteria		pages.
• 9.2.4.1 (Web)		
<ul> <li>10.2.4.1 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> </ul>		
<ul> <li>11.2.4.1 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A)	Web: Supports	Web: Pages have descriptive and informative titles.
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.2 (Web)		
<ul> <li>10.2.4.2 (Non-web document)</li> </ul>		
<ul> <li>11.2.4.2 (Open Functionality Software) - Does not apply</li> </ul>		
<ul> <li>11.2.4.2 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
2.4.3 Focus Order (Level A)  Also applies to: EN 301 549 Criteria  • 9.2.4.3 (Web)  • 10.2.4.3 (Non-web document)  • 11.2.4.3 (Open Functionality Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exceptions exist:         <ul> <li>Keyboard focus or touch screen swiping goes to an element that is hidden or empty, so people who use the keyboard to navigate content (including screen reader users) may become disoriented or confused. This occurs on the following page: History - Uptime.</li> <li>Keyboard focus is not confined within a modal, so people who use the keyboard to navigate content (including screen reader users) will be able to navigate outside of the modal, which may cause them to become disoriented. This occurs on the Header component present on all pages.</li> <li>The focus order is not logical and presents content in an order that misrepresents its meaning or operability, so people who use a keyboard, switch control, or other assistive technology to navigate content may become disoriented or confused. This occurs on the Header component present on all pages.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
2.4.4 Link Purpose (In Context) (Level A)	Web: Supports	Web: The purpose of each link can be determined
Also applies to:		from the link text alone or from the link text and its
EN 301 549 Criteria		programmatic context.
• 9.2.4.4 (Web)		
• 10.2.4.4 (Non-web document)		
<ul> <li>11.2.4.4 (Open Functionality Software)</li> </ul>		
• 11.2.4.4 (Closed Software		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
• 602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 and 2.2)	Web: Supports (Not	Web: Pointer gestures are not present.
Also applies to:	Applicable)	
EN 301 549 Criteria		
• 9.2.5.1 (Web)		
• 10.2.5.1 (Non-web document)		
• 11.2.5.1 (Open Functionality Software)		
• 11.2.5.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)	Web: Supports	Web: For functionality that can be operated using a
Also applies to:		single pointer, at least one of the following is true:
EN 301 549 Criteria		The action is not triggered on the down event.
• 9.2.5.2 (Web)		The action triggers on the up event, and a
• 10.2.5.2 (Non-web document)		mechanism is available to abort the function
• 11.2.5.2 (Open Functionality Software)		before completion or to undo the function after
• 11.2.5.2 (Closed Software)		completion.
• 11.8.2 (Authoring Tool)		The up-event reverses any outcome of the
• 12.1.2 (Product Docs)		preceding down-event.
• 12.2.4 (Support Docs)		Completing the function on the down-event is
Revised Section 508 – Does not apply		essential.

Criteria	Conformance Level	Remarks and Explanations
2.5.3 Label in Name (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.2.5.3 (Web)	Web: Supports	Web: For each user interface component that includes a visible text label, the accessible name matches (or includes) the visible text in the label.
<ul> <li>10.2.5.3 (Non-web document)</li> <li>11.2.5.3.1 (Open Functionality Software)</li> <li>11.2.5.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>		
Revised Section 508 – Does not apply  2.5.4 Motion Actuation (Level A 2.1 and 2.2)  Also applies to:  EN 301 549 Criteria  • 9.2.5.4 (Web)  • 10.2.5.4 (Non-web document)  • 11.2.5.4 (Open Functionality Software)  • 11.2.5.4 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply	Web: Supports (Not Applicable)	Web: In the Deque Status site, there is no functionality that can be triggered by device motion or user motion detected by a device.
3.1.1 Language of Page (Level A)  Also applies to:  EN 301 549 Criteria  9.3.1.1 (Web)  10.3.1.1 (Non-web document)  11.3.1.1.1 (Open Functionality Software)  11.3.1.1.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	Web: The language of each page is correct and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria  • 9.3.2.1 (Web)  • 10.3.2.1 (Non-web document)  • 11.3.2.1 (Open Functionality Software)  • 11.3.2.1 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria  9.3.2.2 (Web)  10.3.2.2 (Non-web document)  11.3.2.2 (Open Functionality Software)  11.3.2.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A)	Web: Supports	Web: For form controls where an input error is
Also applies to:		automatically detected, a text message or alert is
EN 301 549 Criteria		provided that identifies the field/control where the
• 9.3.3.1 (Web)		error was detected and describes the error.
<ul> <li>10.3.3.1 (Non-web document)</li> </ul>		
<ul> <li>11.3.3.1.1 (Open Functionality Software)</li> </ul>		
<ul> <li>11.3.3.1.2 (Closed Software)</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A)	Web: Supports	Web: For form controls/input fields requiring user
Also applies to:		input, labels, instructions, and/or error messages are
EN 301 549 Criteria		provided to identify the controls/input fields in the
• 9.3.3.2 (Web)		form so that users know what input data is expected.
<ul> <li>10.3.3.2 (Non-web document)</li> </ul>		
<ul> <li>11.3.3.2 (Open Functionality Software)</li> </ul>		
• 11.3.3.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
<ul> <li>504.2 (Authoring Tool)</li> </ul>		
602.3 (Support Docs)		
3.3.7 Redundant Entry (Level A 2.2 only)	Web: Supports	Web: If information previously entered by, or provided
EN 301 549 Criteria – Does not apply		to, the user is required to be entered again in the
Revised Section 508 – Does not apply		same process, that information is either automatically
		populated or available for the user to select unless the
		previously entered information is no longer valid or re-
		entering the information is essential or required to
		ensure security.

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 and 2.1 – Always answer "Supports" WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria  • 9.4.1.1 (Web)  • 10.4.1.1 (Non-web document)  • 11.4.1.1.1 (Open Functionality Software)  • 11.4.1.1.2 (Closed Software) – Does not apply  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Supports	Web: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata. This criterion was removed from WCAG 2.2.
4.1.2 Name, Role, Value (Level A)  Also applies to: EN 301 549 Criteria  • 9.4.1.2 (Web)  • 10.4.1.2 (Non-web document)  • 11.4.1.2.1 (Open Functionality Software)  • 11.4.1.2.2 (Closed Software) – Does not apply  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: The name, role, state, and value of most user interface components can be programmatically determined. The following exceptions exist:         <ul> <li>A button does not have a programmatic role, so its role (usually button, but sometimes link or something else) is not conveyed to screen readers and other assistive technologies and will not be available to people who use those technologies. This occurs on the following page: History - Incidents.</li> <li>An element is missing or has an incorrect programmatic name, so people who are blind and/or use a screen reader or other assistive technology may not be able to determine the name of the element and may not understand its purpose or content or how to interact with it. This occurs on the following page: Status.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		<ul> <li>An element does not have an attribute in its HTML code that will provide its programmatic role to assistive technology or the role assigned is not correct (like assigning a button the role of "checkbox"), so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following page: History - Uptime.</li> <li>The programmatic state of an element that reveals or hides content ("expanded" or "collapsed") is missing or is used incorrectly, so people who are blind and/or use a screen reader or other assistive technology will not be informed of the current state of the element or the state will be misrepresented. This occurs on the History – Incidents page and on the Header component present on all pages.</li> <li>For an element that allows a user either to select or not select a single option (like a checkbox or radio buttons) or to select from among 2 or more options (like a select dropdown), the state (such as checked/unchecked or selected/not selected) is not conveyed to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the element, the options available, and whether the element or an option is currently checked. This occurs on the following page: History - Incidents.</li> </ul>

# **Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Web: Supports (Not	Web: Live multimedia files with audio are not present,
Also applies to:	Applicable)	so synchronized captions are not required.
EN 301 549 Criteria		
• 9.1.2.4 (Web)		
• 10.1.2.4 (Non-web document)		
<ul> <li>11.1.2.4 (Open Functionality Software)</li> </ul>		
• 11.1.2.4 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)	Web: Supports (Not	Web: Prerecorded multimedia files are not present, so
Also applies to:	Applicable)	audio descriptions are not required.
EN 301 549 Criteria		
• 9.1.2.5 (Web)		
• 10.1.2.5 (Non-web document)		
<ul> <li>11.1.2.5 (Open Functionality Software)</li> </ul>		
• 11.1.2.5 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.3.4 Orientation (Level AA 2.1 and 2.2)	Web: Supports	Web: Orientation of the content is not locked to either
Also applies to:		landscape or portrait unless a specific orientation is
EN 301 549 Criteria		essential for the functionality.
• 9.1.3.4 (Web)		
• 10.1.3.4 (Non-web document)		
• 11.1.3.4 (Open Functionality Software)		
• 11.1.3.4 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)	Web: Partially Supports	Web: The purpose of most input fields that collect an
Also applies to:		individual's personal data are programmatically
EN 301 549 Criteria		defined based on the WCAG list of Input Purposes for
• 9.1.3.5 (Web)		User Interface Components. The following exception
<ul> <li>10.1.3.5 (Non-web document)</li> </ul>		exists:
• 11.1.3.5.1 (Open Functionality Software)		No programmatic purpose is provided for an
• 11.1.3.5.2 (Closed Software)		input element (like a text input field), so
• 11.8.2 (Authoring Tool)		browsers or assistive technology are not able to
• 12.1.2 (Product Docs)		automatically suggest information to fill in the
• 12.2.4 (Support Docs)		input. This occurs on the Header component
Revised Section 508 – Does not apply		present in all the pages.
1.4.3 Contrast (Minimum) (Level AA)	Web: Partially Supports	Web: Most text and images of regular text have the
Also applies to:		required color contrast ratio with their backgrounds.
EN 301 549 Criteria		The following exception exists:
• 9.1.4.3 (Web)		The color contrast ratio between text and its
• 10.1.4.3 (Non-web document)		background is less than 4.5:1, so people who
• 11.1.4.3 (Open Functionality Software)		are colorblind or have low vision may have
• 11.1.4.3 (Closed Software)		difficulty reading the text. This occurs on the
• 11.8.2 (Authoring Tool)		History - Incidents page and on the Header
• 12.1.2 (Product Docs)		component present on all pages.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria  • 9.1.4.4 (Web)  • 10.1.4.4 (Non-web document)  • 11.1.4.4.1 (Open Functionality Software)  • 11.8.2 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exceptions exist:         <ul> <li>Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the Header component present on all pages.</li> <li>The ability to zoom or scale the screen has been disabled, so people who have low vision and need to enlarge text to read it cannot do so. This occurs on the following pages: History - Uptime; History - Incidents; Status; and Incident Report.</li> </ul> </li> </ul>
1.4.5 Images of Text Also applies to: EN 301 549 Criteria  • 9.1.4.5 (Web)  • 10.1.4.5 (Non-web document)  • 11.1.4.5.1 (Open Functionality Software)  • 11.1.4.5.2 (Closed Software) – Does not apply  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance Level	Remarks and Explanations
1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.1.4.10 (Web)  • 10.1.4.10 (Non-web document)  • 11.1.4.10 (Open Functionality Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply	Web: Partially Supports	Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exception exists:  • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content does not fit horizontally, so it cannot be viewed without scrolling. People with low vision who increase the size of text and other content using the browser zoom may have difficulty accessing the content that can only be seen by horizontal scrolling. This occurs on the Status page and on the Header component present on all pages.
Also applies to: EN 301 549 Criteria  • 9.1.4.11 (Web)  • 10.1.4.11 (Non-web document)  • 11.1.4.11 (Open Functionality Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply	Web: Partially Supports	Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exceptions exist:  • The visual boundary of an interactive element (like a radio button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving the boundaries of the interactive element. This occurs on the Header component present on all pages.  • An icon (or part of the icon required to understand its content) does not have a 3:1 color contrast ratio with the background or adjacent colors, so people who are colorblind or have low vision may not be able understand the information presented by the icon. This occurs on the following pages: History — Uptime; Status; and on the Header component present on all pages.

Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.1.4.12 (Web)  • 10.1.4.12 (Non-web document)  • 11.1.4.12 (Open Functionality Software)  • 11.1.4.12 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)	Web: Partially Supports	<ul> <li>The indicator for the state of an interactive element (like a checkbox or radio button) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving the state of the interactive element. This occurs on the following pages: History - Uptime; History - Incidents; Status; and on the Header component present on all pages.</li> <li>Web: For most content, the spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality. The following exception exists:         <ul> <li>When text spacing is adjusted to help people with vision, reading and cognitive disabilities, some content cannot be seen because it is cut off. This occurs on the Header component present on all pages.</li> </ul> </li> </ul>
Revised Section 508 – Does not apply  1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)  Also applies to: EN 301 549 Criteria  • 9.1.4.13 (Web)  • 10.1.4.13 (Non-web document)  • 11.1.4.13 (Open Functionality Software)  • 11.1.4.13 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply	Web: Partially Supports	<ul> <li>Web: In most cases when additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. The following exceptions exist:         <ul> <li>Content that appears on mouse hover or keyboard focus (such as tooltips, drop-down menus, or popups) is not dismissible, so it obscures all or part of the original content on the page. This occurs on the following Pages: History - Uptime; Status; and Deque Status - Slack Updates.</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		Content that appears on mouse hover (such as tooltips, drop-down menus, or popups) disappears when the mouse pointer is moved over that content, meaning people with disabilities, especially people with low vision who need to magnify text, may not be able to read the additional content. This occurs on the following Page: Status; and Deque Status - Slack Updates.
2.4.5 Multiple Ways (Level AA)	Web: Supports	Web: Multiple ways are available to find other pages
Also applies to:		on the site.
EN 301 549 Criteria		
• 9.2.4.5 (Web)		
<ul> <li>10.2.4.5 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> </ul>		
<ul> <li>11.2.4.5 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
<ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria  9.2.4.6 (Web)  10.2.4.6 (Non-web document)  11.2.4.6 (Open Functionality Software)  11.2.4.6 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: Most headings and labels for form and interactive controls are informative. The following exception exists:         <ul> <li>A programmatic label for a control does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following page: History - Uptime.</li> </ul> </li> </ul>
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria  • 9.2.4.7 (Web)  • 10.2.4.7 (Non-web document)  • 11.2.4.7 (Open Functionality Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Web: In most cases, it is visually apparent which page element is currently receiving keyboard focus. The following exception exists:         <ul> <li>An interactive element (such as a link, button, or form input) does not have a visual focus indicator, so sighted people who use a keyboard to navigate content will not know when that element is receiving focus. This occurs on the History -Uptime page and on the Header component present on all pages.</li> </ul> </li> </ul>
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.

Criteria	Conformance Level	Remarks and Explanations
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Partially Supports	Web: The size of the target for most clickable controls is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control. The following exception exists:  • A target's hit area does not meet minimum 24x24 pixel size or spacing. making it difficult for users with hand tremors and those who have difficulty with fine motor movement to activate them accurately. This occurs on the following page: Status.
3.1.2 Language of Parts (Level AA)  Also applies to:  EN 301 549 Criteria  9.3.1.2 (Web)  10.3.1.2 (Non-web document)  11.3.1.2 (Open Functionality Software) – Does not apply  11.3.1.2 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	Web: The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
3.2.3 Consistent Navigation (Level AA)	Web: Supports	Web: Navigation patterns that are repeated on web
Also applies to:		pages are presented in the same relative order each
EN 301 549 Criteria		time they appear and do not change order when
• 9.3.2.3 (Web)		navigating through the site.
<ul> <li>10.3.2.3 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.3.2.3 (Open Functionality Software) – Does not apply</li> </ul>		
<ul> <li>11.3.2.3 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
<ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
3.2.4 Consistent Identification (Level AA)	Web: Supports	Web: Labels, names, and text alternatives for content
Also applies to:		that have the same functionality across multiple web
EN 301 549 Criteria		pages are consistently identified.
• 9.3.2.4 (Web)		
<ul> <li>10.3.2.4 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> </ul>		
<ul> <li>11.3.2.4 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
<ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA)  Also applies to: EN 301 549 Criteria  9.3.3.3 (Web)  10.3.3.3 (Non-web document)  11.3.3.3 (Open Functionality Software)  11.3.3.3 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
<ul> <li>602.3 (Support Docs)</li> <li>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.3.4 (Web)</li> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 and 2.2)	Web: Supports	Web: Status messages can be programmatically
Also applies to:		determined and presented by assistive technologies
EN 301 549 Criteria		without receiving focus.
• 9.4.1.3 (Web)		
• 10.4.1.3 (Non-web document)		
<ul> <li>11.4.1.3 (Open Functionality Software)</li> </ul>		
<ul> <li>11.4.1.3 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

# **Table 3: Success Criteria, Level AAA**

Notes: Not Applicable. The Deque Status site was not assessed for WCAG 2.2 Level AAA conformance.

# **Revised Section 508 Report**

Notes:

## **Chapter 3: Functional Performance Criteria (FPC)**

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in:  1.1.1 Non-Text Content  1.3.1 Info and Relationships  1.3.2 Meaningful Sequence  1.4.1 Use of Color  2.1.1 Keyboard  2.4.3 Focus Order  2.4.6 Headings and Labels  4.1.2 Name, Role, Value
302.2 With Limited Vision	Partially Supports	Most functionality is usable with limited vision. Exceptions are noted in:  1.1.1 Non-Text Content 1.3.1 Info and Relationships 1.3.2 Meaningful Sequence 1.4.1 Use of Color 1.4.3 Contrast (minimum) 1.4.4 Resize Text 2.1.1 Keyboard 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Partially Supports	Most functionality is usable without perception of color. Exceptions are noted in:  • 1.4.1 Use of Color • 1.4.3 Contrast (minimum)

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Supports (Not Applicable)	The Deque Status site does not require
		the use of hearing.
302.5 With Limited Hearing	Supports (Not Applicable)	The Deque Status site does not require
		the use of hearing.
302.6 Without Speech	Supports (Not Applicable)	The Deque Status site does not require the use of speech.
302.7 With Limited Manipulation	Partially Supports	Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in:  • 2.1.1 Keyboard  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels  • 2.4.7 Focus Visible  • 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Supports	All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.  Exceptions are noted in:  1.1.1 Non-Text Content 1.3.1 Info and Relationships 1.3.2 Meaningful Sequence 1.4.1 Use of Color 2.1.1 Keyboard 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible 4.1.2 Name, Role, Value

# **Chapter 4: <u>Hardware</u>**

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

# **Chapter 5: Software**

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supports (Not Applicable)	The Deque Status site is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Supports	The Deque Status site does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.  Exceptions are noted in:  4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Partially Supports	For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in:  • 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Supports	When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.4 Values	Partially Supports	For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exceptions include:  • 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Partially Supports	For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions include:  • 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Partially Supports	For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.  Exceptions are noted in:  4.1.2 Name, Role, Value
502.3.7 Hierarchical Relationships	Supports	When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Partially Supports	For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.  Exceptions include:  • 2.1.1 Keyboard
502.3.12 Focus Cursor	Supports	On all pages, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.
502.3.13 Modification of Focus Cursor	Supports (Not Applicable)	The Deque Status site does not allow modification of the focus indicator, text insertion point, or text selector indicator. Settings relating to those features are set by operating system and/or the browser.
502.3.14 Event Notification	Supports	Status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Supports (Not Applicable)	The Deque Status site is a website, not platform software, so this requirement does not apply.

Criteria	Conformance Level	Remarks and Explanations
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The Deque Status site allows users to set or modify color, contrast, font type and size, and focus cursor, or it does not interfere with such browser or OS settings.
503.3 Alternative User Interfaces	Supports (Not Applicable)	The Deque Status site does not offer an alternative user interface.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Supports (Not Applicable)	The Deque Status site does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Supports (Not Applicable)	The Deque Status site does not contain media with a video component that offers audio description.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	Supports (Not Applicable)	The Deque Status site is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supports (Not Applicable)	The Deque Status site is not an authoring tool.
504.2.2 PDF Export	Supports (Not Applicable)	The Deque Status site is not an authoring tool.
504.3 Prompts	Supports (Not Applicable)	The Deque Status site is not an authoring tool.
504.4 Templates	Supports (Not Applicable)	The Deque Status site is not an authoring tool.

# **Chapter 6: Support Documentation and Services**

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports (Not Applicable)	Documentation is provided for the Deque Status site; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
602.3 Electronic Support Documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports (Not Applicable)	Documentation is not provided for the website or application in only non-electronic formats.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on the Deque Status site accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
603.3 Accommodation of Communication Needs	Supports	Support services for the Deque Status site provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

# **EN 301 549 Report**

Notes:

## **Chapter 4: Functional Performance Statements (FPS)**

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in:  1.1.1 Non-Text Content  1.3.1 Info and Relationships  1.3.2 Meaningful Sequence  1.4.1 Use of Color  2.1.1 Keyboard  2.4.3 Focus Order  2.4.6 Headings and Labels  4.1.2 Name, Role, Value
4.2.2 Usage with limited vision	Partially Supports	Most functionality is usable with limited vision. Exceptions are noted in:  1.1.1 Non-Text Content 1.3.1 Info and Relationships 1.3.2 Meaningful Sequence 1.4.1 Use of Color 1.4.3 Contrast (minimum) 1.4.4 Resize Text 1.4.10 Reflow 1.4.11 Non-Text Contrast 1.4.12 Text Spacing 1.4.13 Content on Hover or Focus 2.1.1 Keyboard 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
4.2.3 Usage without perception of colour	Partially Supports	Most functionality is usable without perception of color. Exceptions are noted in:  • 1.4.1 Use of Color  • 1.4.3 Contrast (minimum)  • 1.4.11 Non-Text Contrast
4.2.4 Usage without hearing	Supports (Not Applicable)	The Deque Status site does not require the use of hearing.
4.2.5 Usage with limited hearing	Supports (Not Applicable)	The Deque Status site does not require the use of hearing.
4.2.6 Usage with no or limited vocal capability	Supports (Not Applicable)	The Deque Status site does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in:  1.3.5 Identify Input Purpose 1.4.13 Content on Hover or Focus 2.1.1 Keyboard 2.4.3 Focus Order 2.4.6 Headings and Labels 2.4.7 Focus Visible 4.1.2 Name, Role, Value
4.2.8 Usage with limited reach	Partially Supports	Most functionality is usable by people with limited reach. Exceptions are noted in:  1.3.5 Identify Input Purpose 1.4.13 Content on Hover or Focus
4.2.9 Minimize photosensitive seizure triggers	Supports	All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:  • 1.1.1 Non-Text Content  • 1.3.1 Info and Relationships  • 1.3.2 Meaningful Sequence  • 1.3.5 Identify Input Purpose  • 1.4.1 Use of Color  • 1.4.10 Reflow  • 1.4.12 Text Spacing  • 1.4.13 Content on Hover or Focus  • 2.1.1 Keyboard  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels  • 2.4.7 Focus Visible  • 4.1.2 Name, Role, Value
4.2.11 Privacy	Supports (Not Applicable)	The Deque Status site does not provide any specific accessibility features that impact the user's privacy.

## **Chapter <u>5: Generic Requirements</u>**

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.3.1 Audio output of visual information	Supports (Not Applicable)	The Deque Status site does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Supports (Not Applicable)	The Deque Status site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Supports (Not Applicable)	The Deque Status site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.5 Speech output automatic interruption	Supports (Not Applicable)	The Deque Status site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Supports (Not Applicable)	The Deque Status site does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.7 Speech output for video information	Supports (Not Applicable)	The Deque Status site does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.9 Private access to personal data	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.10 Non-interfering audio output	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.11 Private listening volume	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.13 Volume reset	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.15 Non-visual error identification	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.16 Receipts, tickets, and transactional outputs	Supports (Not Applicable)	The Deque Status site does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Supports (Not Applicable)	The Deque Status site does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.

Criteria	Conformance Level	Remarks and Explanations
5.1.5 Visual output for auditory information	Supports (Not Applicable)	The Deque Status site does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports (Not Applicable)	The Deque Status site is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Supports (Not Applicable)	The Deque Status site does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports (Not Applicable)	The Deque Status site is a web application and does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
5.3 Biometrics	Supports (Not Applicable)	The Deque Status site does not use biological characteristics for identification or to control any functionality.
5.4 Preservation of accessibility information during conversion	Supports (Not Applicable)	The Deque Status site does not have functionality that converts information or communication from one format to another.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Supports (Not Applicable)	The Deque Status site is a web application and has no physical parts.
5.5.2 Operable parts discernibility	Supports (Not Applicable)	The Deque Status site is a web application and has no physical parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Supports (Not Applicable)	The Deque Status site has no physical locking or toggle controls.
5.6.2 Visual status	Supports (Not Applicable)	The Deque Status site has no physical locking or toggle controls.

Criteria	Conformance Level	Remarks and Explanations
5.7 Key repeat	Supports (Not Applicable)	The Deque Status site has no physical
		keyboard or keypad, so it has no key
		repeat function.
5.8 Double-strike key acceptance	Supports (Not Applicable)	The Deque Status site has no physical
		keyboard or keypad, so it has no
		functionality related to accepting
		identical keystrokes that occur within a
		specific timeframe.
5.9 Simultaneous user actions	Supports (Not Applicable)	The Deque Status site has no functionality
		requiring simultaneous actions (such as
		having to press multiple keys at the same
		time) with no alternative.

#### Chapter 6: ICT with Two-Way Voice Communication

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

#### **Chapter 7: ICT with Video Capabilities**

Notes: The ICT covered by this report does not have any functionality that supports video capabilities. As such, the requirements of this chapter do not apply.

#### **Chapter 8: Hardware**

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

#### Chapter 9: Web (see WCAG 2.2 section)

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the <u>WCAG 2.2</u> section.

### **Chapter 10: Non-Web Documents**

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Supports (Not Applicable)	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.
10.6 Audio description timing	Supports (Not Applicable)	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.

### Chapter 11: Software

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the <u>WCAG 2.2</u> section. Thus, the requirements of this chapter do not apply.

### **Chapter 12: Documentation and Support Services**

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports (Not Applicable)	Documentation is provided for the Deque Status site; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on the Deque Status site accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.2.3 Effective communication	Supports	Support services for the Deque Status site provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.
12.2.4 Accessible documentation	Supports	Documentation provided by support services is available in digital formats that conform to WCAG 2.1, so the documentation and the information it contains are accessible to people with disabilities.

#### **Chapter 13: ICT Providing Relay or Emergency Service Access**

Notes: The ICT covered by this report does have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

## **Legal Disclaimer (Company)**

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.