



Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version:

axe DevTools Mobile Analyzer app v1.12.0

Report Date:

May 5th 2025

Product Description:

axe DevTools Mobile Analyzer enables accessibility testing on any Android application built with any technology. axe DevTools Mobile Analyzer product is codeless accessibility testing that empowers the team to focus on identifying and resolving accessibility issues.

Contact information:

Deque Systems
info@deque.com

Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed in May of 2025.

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment.

- Manual assessment was performed using Android device.
- Automated tools used included axe DevTools Mobile Analyzer app.
- Assistive technologies employed included Talkback and Switch Access.

Scope of Evaluation

The following pages were evaluated as part of the assessment on which this report is based:

- Get Started Screen
- Sign In with Your Deque Account Screen
- Turn On Axe DevTools Mobile Analyzer Screen
- Turn on Axe DevTools Accessibility Analyzer Screen
- Accept draw over other applications permission Screen
- Start recording or casting with axe Screen
- Time to Scan Screen
- Tags Screen
- Advanced Settings Screen
- Settings Screen
- Credits Screen
- Allow app to display over other apps
- Allow app to modify system settings

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Software: Supports	Software: Informative non-text content (such as an image) has a text alternative that conveys the information presented by that content.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Prerecorded audio-only and/or video-only files are not present in the axe DevTools Mobile Analyzer app.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Prerecorded videos are not present in the axe DevTools Mobile Analyzer app.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Prerecorded videos are not present in axe DevTools Mobile Analyzer app, so audio description is not required.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: All Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: The reading and navigation order of axe DevTools Mobile analyzer screens is logical and intuitive.
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements in axe DevTools Mobile analyzer.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: axe DevTools Mobile analyzer does not contain audio content that plays automatically for more than 3 seconds.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: In the axe DevTools Mobile Analyzer app, functionality is available using only the switch access (unless that functionality cannot be accomplished in any known way using a switch).
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Not Applicable	Software: The axe DevTools Mobile Analyzer does not have any character keyboard shortcuts that use only letter (including upper- and lower-case letters), punctuation, number, or symbol characters.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: The axe DevTools Mobile Analyzer application has no time limits.

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: The axe DevTools Mobile Analyzer does not contain content that moves, blinks, scrolls, or in which information is updated automatically.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: The axe DevTools Mobile Analyzer does not contain flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Software: Not Applicable	Software: This success criterion is not applicable to non-web software such as the axe DevTools Mobile Analyzer.
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Not Applicable	Software: This success criterion is not applicable to native mobile Android apps, because testing is not possible without accessing the code of a native mobile Android app.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: The navigation order of all the interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: The axe DevTools Mobile Analyzer app does not rely on multipoint or path-based gestures.
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	<p>Software: For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: For all the user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: The axe DevTools Mobile Analyzer app does not have functionality operated by device motion or user motion.
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Not Applicable	Software: The Google text-to-speech engine will detect both app language and change in language. Thus, the language of each screen is determined by the operating system.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: When an element receives focus, a change in context (such as a substantial change to the screen, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: When a user inputs information or interacts with a control, it does not result in a substantial change to the screen that could disorient the user unless the user is informed about the change ahead of time.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Software: Supports	Software: There is no help mechanism in the app.

Criteria	Conformance Level	Remarks and Explanations
<u>3.3.1 Error Identification</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
<u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected.
<u>3.3.7 Redundant Entry</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Software: Supports	Software: No processes in the axe DevTools Mobile Analyzer require the user to enter information previously entered as part of the same process.

Criteria	Conformance Level	Remarks and Explanations
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer “Supports”</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . This criterion was removed from WCAG 2.2.
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: The name, role, state, and value of each user interface component can be programmatically determined.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Live multimedia with audio is not present in axe DevTools Mobile Analyzer, so synchronized captions are not required.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Prerecorded multimedia is not present in axe DevTools Mobile Analyzer, so audio descriptions are not required.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: The orientation of all the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Not Applicable	Software: This success criterion is not applicable to native mobile Android apps.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Text and images of regular text in axe DevTools Mobile Analyzer app have the required color contrast ratio with their backgrounds.
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Text size and screen magnification for native mobile Android apps are controlled by the operating system.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: When content can be presented visually using only text, an image of text is not used to present that text.
<p><u>1.4.10 Reflow</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Not Applicable	Software: This success criterion is not applicable to native mobile Android apps.
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: The boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Not Applicable	Software: This success criterion is not applicable to native mobile Android apps.
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Not Applicable	Software: This success criterion is not applicable to native mobile Android apps.
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Software: Not Applicable	Software: This success criterion is not applicable to non-web software such as the axe DevTools Mobile Analyzer.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: Headings and labels for form and interactive controls in axe DevTools Mobile Analyzer app are informative.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Software: Supports	Software: It is visually apparent which page element is currently receiving keyboard focus.
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: When a user interface component receives focus, the component is not entirely hidden due to author-created content.
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: axe DevTools Mobile Analyzer does not contain functionality that uses a dragging movement.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: The size of the target for each clickable control in axe DevTools Mobile Analyzer app is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Not Applicable	Software: The Google text-to-speech engine will detect both app language and change in language. Thus, the language of each screen or portion of a screen is determined by the operating system.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Software: Supports	Software: axe DevTools Mobile Analyzer provides consistent and repeatable navigation across all screens.
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Software: Supports	Software: Components that have the same functionality within axe DevTools Mobile Analyzer are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Software: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
<u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Software: Supports	Software: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process in axe DevTools Mobile Analyzer unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the app.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Software: Supports	Software: Status messages in axe DevTools Mobile Analyzer can be programmatically determined and presented by assistive technologies without receiving focus.

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. The axe DevTools Mobile Analyzer was not assessed for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	All functionality in axe DevTools Mobile Analyzer is usable without vision.
302.2 With Limited Vision	Supports	All functionality in axe DevTools Mobile Analyzer is usable with limited vision.
302.3 Without Perception of Color	Supports	All functionality in axe DevTools Mobile Analyzer is usable without perception of color.
302.4 Without Hearing	Supports	axe DevTools Mobile Analyzer does not require the use of hearing.
302.5 With Limited Hearing	Supports	axe DevTools Mobile Analyzer does not require the use of hearing.
302.6 Without Speech	Supports	axe DevTools Mobile Analyzer does not require the use of speech.
302.7 With Limited Manipulation	Supports	All functionality in axe DevTools Mobile Analyzer is usable with limited manipulation and does not require fine motor control or simultaneous manual operations.
302.8 With Limited Reach and Strength	Supports	All functionality in axe DevTools Mobile Analyzer is usable with limited reach and strength.

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	All functionality in axe DevTools Mobile Analyzer is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	axe DevTools Mobile Analyzer is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Supports	axe DevTools Mobile Analyzer does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	The role, state(s), properties, boundary, name, and description of all the objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Supports	When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.3 Row, Column, and Headers	Supports	When a data table is present in axe DevTools Mobile Analyzer, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.
502.3.4 Values	Supports	When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.
502.3.5 Modification of Values	Supports	When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.6 Label Relationships	Supports	When a screen contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.7 Hierarchical Relationships	Supports	For all elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.
502.3.9 Modification of Text	Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Supports	For all the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.
502.3.12 Focus Cursor	Supports	On all screens, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.13 Modification of Focus Cursor	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not allow modification of the focus indicator, text insertion point, or text selector indicator.
502.3.14 Event Notification	Supports	Status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Not Applicable	The website is not platform software, so this requirement does not apply.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	axe DevTools Mobile Analyzer allows users to set or modify color, contrast, font type and size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	axe DevTools Mobile Analyzer does not offer an alternative user interface.
<i>503.4 User Controls for Captions and Audio Description</i>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	axe DevTools Mobile Analyzer does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Not Applicable	axe DevTools Mobile Analyzer does not contain media with a video component that offers audio descriptions.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
504.2.2 PDF Export	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
504.3 Prompts	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
504.4 Templates	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	Documentation is provided for axe DevTools Mobile Analyzer; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
602.3 Electronic Support Documentation	Supports	Support documentation for axe DevTools Mobile Analyzer is available in digital formats that conform to most WCAG 2.0 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the Deque Product Docs Site ACR .
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	Documentation for axe DevTools Mobile Analyzer is not provided in non-electronic formats.
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on axe DevTools Mobile Analyzer's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.

Criteria	Conformance Level	Remarks and Explanations
603.3 Accommodation of Communication Needs	Supports	Support services for axe DevTools Mobile Analyzer provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	All functionality in axe DevTools Mobile Analyzer is usable without vision.
4.2.2 Usage with limited vision	Supports	All functionality in axe DevTools Mobile Analyzer is usable with limited vision.
4.2.3 Usage without perception of colour	Supports	All functionality in axe DevTools Mobile Analyzer is usable without perception of color.
4.2.4 Usage without hearing	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not require the use of hearing.
4.2.5 Usage with limited hearing	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not require the use of hearing.
4.2.6 Usage with no or limited vocal capability	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not require the use of hearing.

Criteria	Conformance Level	Remarks and Explanations
4.2.7 Usage with limited manipulation or strength	Supports	All functionality in axe DevTools Mobile Analyzer is usable with limited manipulation and does not require fine motor control, simultaneous action, or hand strength.
4.2.8 Usage with limited reach	Supports	All functionality in axe DevTools Mobile Analyzer is usable by people with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not contain flashing content or media.
4.2.10 Usage with limited cognition, language or learning	Supports	All functionality in axe DevTools Mobile Analyzer is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.
4.2.11 Privacy	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not provide any specific accessibility features that impact the user's privacy.

Chapter [5: Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.3.1 Audio output of visual information	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.5 Speech output automatic interruption	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.7 Speech output for video information	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.9 Private access to personal data	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.10 Non-interfering audio output	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.11 Private listening volume	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.12 Speaker volume	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.13 Volume reset	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.15 Non-visual error identification	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.16 Receipts, tickets, and transactional outputs	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.
5.1.5 Visual output for auditory information	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports (Not Applicable)	axe DevTools Mobile Analyzer is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports	Any documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.
5.3 Biometrics	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not use biological characteristics for identification or to control any functionality.
5.4 Preservation of accessibility information during conversion	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not have functionality that converts information or communication from one format to another.

Criteria	Conformance Level	Remarks and Explanations
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Supports (Not Applicable)	axe DevTools Mobile Analyzer is a native mobile application and has no physical parts.
5.5.2 Operable parts discernibility	Supports (Not Applicable)	axe DevTools Mobile Analyzer is a native mobile application and has no physical parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Supports (Not Applicable)	axe DevTools Mobile Analyzer has no physical locking or toggle controls.
5.6.2 Visual status	Supports (Not Applicable)	axe DevTools Mobile Analyzer has no physical locking or toggle controls.
5.7 Key repeat	Supports (Not Applicable)	axe DevTools Mobile Analyzer has no physical keyboard or keypad, so it has no key repeat function.
5.8 Double-strike key acceptance	Supports (Not Applicable)	axe DevTools Mobile Analyzer has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe.
5.9 Simultaneous user actions	Supports (Not Applicable)	axe DevTools Mobile Analyzer has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

Chapter [7: ICT with Video Capabilities](#)

Notes: The ICT covered by this report does not have any functionality that supports video capabilities. As such, the requirements of this chapter do not apply.

Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a hybrid application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.
10.6 Audio description timing	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.

Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17

Criteria	Conformance Level	Remarks and Explanations
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	The axe DevTools Mobile Analyzer is not an Assistive Technology, so this requirement does not apply.
11.5.2.5 Object information	Supports	The role, state(s), properties, boundary, name, and description of all the objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.
11.5.2.6 Row, column, and headers	Supports	When a data table is present in axe DevTools Mobile Analyzer, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.
11.5.2.7 Values	Supports	When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.
11.5.2.8 Label relationships	Supports	When a screen contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.9 Parent-child relationships	Supports	For all elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
11.5.2.10 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.
11.5.2.11 List of available actions	Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
11.5.2.12 Execution of available actions	Supports	For all the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.
11.5.2.13 Tracking of focus and selection attributes	Supports	On all screens, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.
11.5.2.14 Modification of focus and selection attributes	Supports (Not Applicable)	axe DevTools Mobile Analyzer does not allow modification of the focus indicator, text insertion point, or text selector indicator.
11.5.2.15 Change notification	Supports	Status messages relevant to user interactions are available to, and presented by, assistive technology.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.16 Modifications of states and properties	Supports	When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.
11.5.2.17 Modifications of values and text	Supports	When an object is present that allows the user to set or modify its value or When text can be set by the user (such as by typing in an input field), the act of setting a value and adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	axe DevTools Mobile Analyzer is not platform software, so this requirement does not apply.
11.6.2 No disruption of accessibility features	Supports	axe DevTools Mobile Analyzer does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
11.7 User preferences	Supports	axe DevTools Mobile Analyzer allows users to set or modify color, contrast, font type and size, and focus cursor.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
11.8.3 Preservation of accessibility information in transformations	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
11.8.4 Repair assistance	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.
11.8.5 Templates	Not Applicable	axe DevTools Mobile Analyzer is not an authoring tool.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Documentation is provided for axe DevTools Mobile Analyzer; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
12.1.2 Accessible documentation	Supports	Documentation provided for axe DevTools Mobile Analyzer is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in a separate report that is available at Deque Product Docs Site ACR .
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on axe DevTools Mobile Analyzer's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.2.3 Effective communication	Supports	Support services for axe DevTools Mobile Analyzer provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 Accessible documentation	Supports	Documentation provided by support services for axe DevTools Mobile Analyzer is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the Deque Product Docs Site ACR .

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

Legal Disclaimer (Company)

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.